



Product Training



About Xtreme Green

Based in Orange County, California, Xtreme Green, the consumer division of ProOne Inc., has breakthrough lubrication technology which can be demonstrated to be **50 times more powerful than regular lubricants** while at the same time being environmentally friendly.

Parent company is ProOne which is well-known in the industrial and oil & gas markets. Supplies lubricants to Shell, OXY, Ford, Tesla, and even NASA!



Technology and Products

XPL+® (Xtreme Pressure Lubrication) technology reduces friction better than anything else on the market. Traditional lubrication products break down as heat and pressure rise, migrating away from the source of friction, causing excessive wear at the point of contact. Xtreme Green's advanced friction reduction technology **migrates toward heat and pressure and literally bonds with metal** at the point of contact. The benefits include:

- Lower operating costs
- Reduced fuel and energy consumption
- Extended equipment life
- Reduced maintenance
- Increased efficiency




The technology has been certified by leading laboratories and received certifications that very few companies can match.

How It Works

On a bench cross axis friction machine test, bearings are subjected to pressure on a spinning race.

Using a leading oil without XPL+, the bearing sustains severe damage at only 4,000 pounds per square inch of pressure.

With ProOne's exclusive XPL+ Technology, there is minimal damage at 200,000 pounds per square inch of pressure...**over 50 times the pressure!**



XPL+ technology is the backbone behind Xtreme Green's line of lubricants which includes a number of highly effective and earth-friendly products.



Without compromising performance, Xtreme Green products are formulated to be earth-friendly.



Xtreme Green products are sold to consumers by a network of independent affiliates. Consumers can also go to your business website and order there.

Engine Life Treatment



Turns Any Ordinary Motor Oil Into a **Super Oil!**

- Increase Power & Performance
- Optimize Fuel Economy
- Reduce Maintenance & Wear
- Reduces Friction
- Reduces High Temperatures
- Keep Oil Cleaner Longer
- Prevent Oxidation & Corrosion
- Fully Tested with Over 100,000 SOLD!



EARTH FRIENDLY TECHNOLOGY

Activated by heat and pressure, Xtreme Green Engine Life Treatment bonds to your engines metal to reduce heat and friction, giving engines an extra level of performance and protection. Formulated with XPL+ technology.

Directions For Use

- 4-6 quart system - add 12oz into engine crankcase
- 8-10 quart system - add 24oz into engine crankcase
- Larger oil capacity - use at 10% by total volume
- Wet bath clutches - use at 5% by volume



NO CHLORINE OR HARMFUL SOLVENTS

LIMITED

Lifetime Engine Warranty

The warranty details are printed on a certificate which comes with every bottle of Xtreme Green Engine Life Treatment.



The image shows a detailed warranty certificate for Xtreme Green. It features a decorative border with a green and gold color scheme. At the top center is the Xtreme Green logo, which includes a stylized green and gold 'X' and the text 'Xtreme Green ECO-ENGINEERED PRODUCTS'. Below the logo, the title 'Limited Lifetime Product Engine Warranty' is prominently displayed. The main body of the certificate contains several sections of text, including a disclaimer, a description of what the warranty covers, criteria for eligibility, and instructions for the consumer. At the bottom, there is a section for the consumer to provide their vehicle identification number (VIN) and a contact information section. The certificate is signed by the Xtreme Green Warranty Administrator.

Xtreme Green
ECO-ENGINEERED PRODUCTS

Limited Lifetime Product Engine Warranty

This Limited Product Warranty is issued by Xtreme Green, Consumer Division of ProOne Inc. ("Xtreme Green") to the original Consumer ("Consumer" or "You") who purchases and properly installs, or has properly installed, Xtreme Green Engine Life Treatment and who otherwise satisfies the terms and conditions of this Warranty. The term "Warranty" refers to this Xtreme Green Engine Life Treatment Limited Product Warranty. The term "Product" refers to Xtreme Green Engine Life Treatment and, for purposes of Warranty renewal (renewal terms and conditions may be found on the reverse side), to ("Vehicle"), as identified by the Vehicle Identification Number ("VIN") on the Warranty Registration Card, for the specified duration of Consumer's ownership or lease period of the Vehicle. For additional information please visit www.xtremegreenwarranty.com.

WHAT THIS WARRANTY COVERS

Subject to the terms and conditions set forth herein, Xtreme Green agrees, at its option and expense, to repair or replace, at reasonable cost, any of the following part(s) or component(s) that experiences a breakdown as a direct primary result of a lubrication-related failure while the Product is properly installed: piston and piston rings, crankshaft and main bearings, rocker arm and pivots, rod and rod bearings, distributor drive gear, timing gears or sprockets, valve heads and valve springs, valve lifters, stems and guides, wrist pins and bushings, cylinder linings and bores, oil pump, oil pan, push rods, keepers and retainers, camshaft and bearings, cam follower and balancer, all internal lubricated parts of the block and head, and seals and gaskets if required to be replaced during repairs of covered parts.

"Breakdown" occurs when a covered part/component is damaged and can no longer perform the function for which it was designed. The "Reasonable Cost" of repair or replacement will include the cost of labor as determined by the lesser of the national average cost for similar repairs or the cost for labor as published in national flat rate manuals in effect as of the date the labor is performed. Parts/components that have experienced a breakdown may be replaced, at Xtreme Green's sole option, with used, rebuilt, re-manufactured or new parts/components. When the cost of repairing a part/component, including labor, exceeds the cost of replacing the part/component, Xtreme Green reserves the right to pay or reimburse Consumer for replacement based on the cost for used, rebuilt, or re-manufactured parts/components not to exceed the liability limits of this Warranty.

CRITERIA FOR VEHICLES TO BE ELIGIBLE FOR COVERAGE BY THIS WARRANTY

1. Must have 150,000 miles or less and this must be reflected on the original odometer setting at the time of the Product's initial installation.
2. Must be of current or previous fourteen (14) model years at time of the initial installation of the Product. January 1st shall be considered the model year change date for determining eligibility under this Warranty.
3. Must be privately owned or leased by Consumer and must have a valid and intact manufacturer's VIN.
4. Must be a passenger car, sport utility vehicle, van or light-weight pick-up truck weighing 7,200 lbs. or less. This Warranty shall not apply to motor homes or any other vehicle not specifically identified.
5. Must not be modified or altered from the Vehicle manufacturer's original specifications.
6. Must not have been used for emergency, racing, competition, commercial, heavy-duty, military, off-road or agricultural purposes, or in any manner not recommended by the Vehicle's manufacturer.
7. Must not have ever been titled or branded as salvage, junk, rebuilt, totaled or flood or fire damaged.

HOW STATE LAW RELATES TO THIS WARRANTY

TO THE EXTENT PERMITTED BY LAW, ANY APPLICABLE IMPLIED WARRANTIES (INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE) ARE LIMITED IN DURATION TO THE SAME DURATION AS THIS WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. XTREME GREEN SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, EXCEPT AS PROVIDED IN THIS WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. THIS LIMITED PRODUCT WARRANTY IS AVAILABLE TO U.S. RESIDENTS ONLY.

WHAT CONSUMER MUST DO FOR THIS WARRANTY TO APPLY

1. Purchase and properly install, or have properly installed, the Product in the Vehicle. For this warranty to apply, Consumer must not use any other oil additive or engine treatment during the term of this Warranty.
2. (A) If installed professionally by a mechanic, service station, dealer or oil change facility, keep work order and/or receipt showing installation of the product, VIN number, and odometer reading. (B) If installed by you, complete "Warranty Registration Form" and mail within 30 calendar days of purchase to: Xtreme Green Warranty Administration, 940 South Coast Dr., Suite 200, Costa Mesa, CA 92626.
3. Use the proper motor oil specified in the owner's manual for the Vehicle. Perform all maintenance service, including replacement of oil filter, air filter and fuel filter in accordance with the Vehicle manufacturer's specifications and recommended schedule. Oil changes must be done at least every 6 months or 6,000 miles, whichever occurs first.
4. Maintain records establishing proper motor oil, oil filter, air filter and fuel filter replacement, and proof of all maintenance service performed in accordance with the Vehicle manufacturer's recommended schedule. Records sufficient to establish proper repair, maintenance, and purchase shall consist of receipts and service records for Vehicle.
5. If applicable, properly renew the Warranty according to the instructions stated in the section entitled "Renewal Period." (See reverse side)

Please address ANY questions to Xtreme Green Warranty Administrator at: Contact@XGglobal.com

1-877-ELT-WNTY (358-9689)

KEEP THIS WARRANTY FOR YOUR RECORDS

Form# XGETW-2 Rev. 11-22-17

ENTER ALL 17 DIGITS OF YOUR VEHICLE IDENTIFICATION NUMBER (VIN) LETTERS/NUMBERS IN GRID BOXES ARE YOUR WARRANTY CONTRACT NUMBER

- **The warranty becomes effective after the customer installs Xtreme Green Engine Life Treatment. If the consumer buys a bottle and installs it themselves, they have to send in the certificate that is enclosed in the box.**
- **To make it a "Lifetime" warranty, the consumer has to re-use and re-register the product every 6 months or 6,000 miles.**

Key Selling Points:

- **Peace of mind** .. Warranty against lubrication-related failures on dozens of engine parts.
- **Lifetime** .. Reapply every 6 months or 6,000 miles for as long as you own the vehicle.
- **Adds resale value** .. Warranty applies even if they transfer ownership of the vehicle!
- **Most vehicles are covered**.. For vehicles with less than 150,000 miles than 15 years.



Super Duty Oil Stabilizer



Designed for **Older Gasoline** and **All Diesel Engines!**

- Stop oil burning & oil leaks
- Slow blow-by, smoking & oil contamination
- Protect against wear to extend engine life
- Give more power with better fuel economy
- Easier starting at all temperatures
- Condition seals to extend life
- Stop thermal breakdown
- Quiet engines & gear boxes



EARTH FRIENDLY TECHNOLOGY

Proven in demanding industrial applications, Xtreme Green's Super Duty Oil Stabilizer helps solve the problems associated with diesel engines and high mileage engines (Diesel & Gasoline). Super Duty Oil Stabilizer is also formulated with XPL+ Technology.

Heavy Duty Formula Has It All!

- XPL+ Xtreme Pressure Lubrication
- Metal bonding agent
- Anti-wear agent
- Seal conditioner
- Detergent inhibitor

Directions For Use

- Diesel engines - 20% by volume
- Gas engines - 10% by volume
- Badly worn engines - 30% by volume
- Commercial/ Industrial - 20% by volume
- Motorcycle - 20% by volume
- Wet clutch - 10% by volume
- Manual transmissions - 20% by volume (75w90 & above)
- Differentials & gear boxes - 20% by volume



NO CHLORINE OR HARMFUL SOLVENTS

Note: Only use in engines using 10w30 or higher.

Engine Life Treatment vs Super Duty Oil Stabilizer

Based on Xtreme Green's XPL+ Xtreme Pressure Lubrication Plus technology, Xtreme Green has developed two outstanding lubricant products for vehicles - Xtreme Green Engine Life Treatment & Xtreme Green Super Duty Oil Stabilizer. Both are designed to significantly reduce heat and friction, lower operating temperatures, and give superior protection and performance.



Engine Life Treatment



NO CHLORINE OR HARMFUL SOLVENTS

Used for:

- New gasoline engines - cars and light trucks (Warranty only covers trucks below 7,200 lbs.)

Directions

- 10% added to 90% base oil (12oz for 4-6 quart capacity engines)

Viscosity:

- Light weight viscosity
- Can be added in any viscosity weight

Temperature Range:

- Max. operating temperature when used at 10% by volume = 480°F

Other Applications:

- Wet batch clutches - 5% by volume

Benefits:

- Helps reduce friction, heat, and wear
- Reduces oxidation process
- Helps optimize performance and fuel economy
- Protects engine wear at start-up
- Protects & conditions seals



Super Duty Oil Stabilizer



NO CHLORINE OR HARMFUL SOLVENTS

Used for:

- All diesel engines and older/higher mileage (200,000 miles) gasoline engines

Directions

- 20% added to 80% base oil (Ex: 1 qt. with 4 qts motor oil for a 5qts system)

Viscosity:

- Heavier, thicker viscosity
- **ONLY USE IN VEHICLES USING 10w30 OR HIGHER**
- **Do not use** in engines running light weight motor oil

Temperature Range

- Max. operating temperature when used at 20% by volume - 500°F

Other Applications:

- Manual Transmissions - 20%
- Differentials & Gear boxes - 20%

Benefits:

- Helps reduce friction, heat, and wear
- Reduces oxidation process
- Helps optimize performance and fuel economy
- Protects engine wear at start-up
- Protects & conditions seals
- Reduces oil burning & oil leaks
- Slows blow-by & smoking
- Quiets engines & gear boxes

Transmission Treatment

Enhances Performance of Regular ATF's

- Reduce friction, heat & wear
- Promote smoother shifting
- Increase performance
- Reduce slipping
- Condition seals to extend life



EARTH FRIENDLY TECHNOLOGY



8oz Bottle

Xtreme Green Transmission Life Treatment has been formulated with proprietary XPL+® technology to work with your transmission fluid to reduce heat, friction and wear in your vehicle's transmission.

Directions For Use

- Automatic transmission: Add contents of 8oz to existing automatic transmission fluid (ATF)*
- Manual transmissions with ATF: First remove 8oz of transmission fluid before adding 8oz Transmission Treatment
- You can add Transmission Life Treatment at any time or at your next transmission fluid change
- Not compatible with Honda ATF from 2013 and newer



NO CHLORINE OR HARMFUL SOLVENTS

***Not to exceed 2% of Transmission Treatment by volume**

Fuel Maximizer Plus

FUEL CATALYST TECHNOLOGY

FOR GAS & DIESEL ENGINES




Xtreme Green Fuel Maximizer Plus is a Fuel Catalyst Technology formulated to break apart those hard-to-burn particles. By doing that, you have better atomization of the fuel and the fuel's full chemical energy is released resulting in more power, better performance, which can help obtain better fuel economy.

SUPER CONCENTRATED FORMULA 1 BOTTLE PER FILL-UP

BREAKS APART HARD-TO-BURN FUEL PARTICLES...

WITHOUT FUEL MAXIMIZER


There is an abundant amount of chemical energy stored in a hydrocarbon.



In this state, Hydrocarbons don't burn completely resulting in carbon, soot, harmful emissions and performance issues.

WITH FUEL MAXIMIZER

Goes immediately to work.



Atomization makes more Oxygen available to burn completely resulting in better performance, less carbon, less emissions, and can help with fuel economy.

LESS CARBON MEANS LESS ENGINE PROBLEMS

ONE SHOT DOES IT ALL!

XPL-101 Spray Lubricant

Most Powerful Spray Lubricant on the Market!

No other penetrating lubricant offers XPL+ lubrication technology which protects metal surfaces from heat, friction, moisture and the elements, and easily loosens rusted or sticky mechanisms.

We guarantee that once you use this environmentally friendly formula you will never settle for anything else.

BENEFITS:

- Extreme performance film strength
- 50 times more film strength than typical spray lubricants
- Penetrates and bonds to metal
- Reduces friction and heat
- Stops squeaks and reduces noise
- Protectant for air tools
- Frees sticky, corroded rust parts
- Gun lubricant & cleaner
- Protects metal from rusting
- Displaces water & moisture
- Non-toxic, environmentally friendly



**To See a live Demonstration
Go to www.xgglobal.com**



FOR USE IN:

- | | | |
|------------------------|-----------------|------------------|
| • Air Tools | • Kitchen Tools | • Fishing Reels |
| • Bolts | • Wheels | • Springs |
| • Bushings | • Bearings | • Firearms |
| • Chains | • Fasteners | • Stamping Tools |
| • Cables | • Casters | • Rollers |
| • Electrical Terminals | • Knobs | • Sliding Doors |
| • Hand Tools | • Pistons | • Lock Tumblers |
| • Hinges | • Gears | • Mold Release |
| • Ignition Wires | • Valve Train | • Pivot Joints |
| • Levers | • Oil Pump | • Rusty Metal |
| • Linkages | • Latches | • Spark Plugs |
| • Locks | • Conveyors | • Garage doors |
| • Nuts | • Drill Bits | • Screw Jacks |
| • Pulleys | • O-Rings | • EGR Valves |

Waterless Wash & Shine

CLEANS, SHINES & PROTECTS!

... Without Water... in about 15 minutes!

Xtreme Green® Waterless Wash and Shine is an environmentally friendly, citrus-based formula which saves time, money, and the planet's most precious resource, WATER!

Perfect to use anywhere, anytime. Simply spray on and wipe off. It takes only 15 minutes to wash an average car, leaving it clean, shiny, and protected.

For light to medium dirt on paint, chrome, plastic, or glass.

WONT SCRATCH FINISH!



FOR BEST RESULTS, AVOID USING IN THE SUN OR WHEN SURFACE IS HOT

Directions:

- Shake well before use
- Presoak tough stains for 30 seconds
- Spray a 2'x2' area
- Use folded terry cloth to wipe clean
- Use clean towel to buff to a high gloss shine



Program Elements

The program elements below are high impact point of sale materials designed to inform the customer about Xtreme Green products. They consist of:

Bay Banner - Immediate visual as the customer drives in. Introducing Engine Lifetime Warranty.



Counter Display

Counter display comes with a push button LCD screen that plays a 1 minute video talking about Xtreme Green Products. Customers can pick up product to read more and take a brochure



Trifold

Trifold contains more information about each product and the warranty

Pull Up Banner

High impact banner promoting the ELT Limited Lifetime Warranty



Warranty Certificate

The warranty certificate is found in every ELT box. If the customer decides to purchase the ELT for another vehicle, they may fill out the warranty certificate and send it in.

Warranty Frequently Asked Questions

What is the Lifetime Engine Warranty?

Xtreme Green's Limited Lifetime Engine Warranty guarantees a vehicle's engine against lubrication-related failure for as long as the owner continues to use Xtreme Green's Engine Life Treatment.

Is this really a 'lifetime' warranty?

Yes, the Limited Lifetime Engine Warranty may be extended on an eligible vehicle for as long as you own it... the lifetime of your car! All you have to do is use Xtreme Green Engine Life Treatment every 6 months or 6,000 miles to maintain the warranty for the life of the vehicle.

Does the Warranty transfer if they sell or transfer vehicle?

Yes. The Warranty transfers with the vehicle to the new owner.

What does the warranty cover?

Under the law, a limited product warranty only covers or applies to what a product does or affects, so the warranty covers all lubricated parts of a vehicle's engine, provided the required oil level and service are maintained and Xtreme Green Engine Life Treatment is properly installed. Specifically:

- Piston and piston rings
- Crankshaft and main bearings
- Rocker arm and pivots
- Rod and rod bearings
- Distributor drive gear
- Timing gears or sprockets
- Valve heads and valve springs
- Valve lifters
- Stems and guides
- Wrist pins and bushings
- Cylinder linings and bores
- Oil pump, oil pan
- Push rods
- Keepers and retainers
- Camshaft and bearings
- Cam follower and balancer
- All internal lubricated parts of the block and head
- Seals and gaskets if required to be replaced during repairs of covered parts

What does the Warranty not cover?

- Pre-existing conditions or damage to vehicle.
- Any breakdown caused by negligence, intentional abuse or misuse, lack of scheduled maintenance as recommended by the vehicle's manufacturer.
- Design and or manufacturing defects in any vehicle's manufacturer's listed part.
- Any breakdown resulting from unrelated conditions .. collision or accident, road hazard, overheating, fire, etc.
- Any Damage or Breakdown due to the failure to maintain motor oil or engine coolant at levels recommended by the Vehicle manufacturer or improper maintenance that leads to sludge build-up or lubricant blockage.
- Other exceptions .. see warranty certificate for details.

Is there a maximum amount covered by the Warranty?

The aggregate limit of liability for a claim is \$5,000.

What if the vehicle is covered by another warranty?

If the claim is covered by the Vehicle Manufacturer's original or extended warranty or any other warranty or service agreement, then the coverage provided by that warranty or service agreement will be the exclusive remedy for the consumer.

Continued

Are cars with any mileage eligible for this 'life time' warranty?

Vehicles with up to 150,000 miles that are less than 15 years old (current or last 14 model years) are eligible! Most of the vehicles on the road will qualify and remember, a high-mileage vehicle that doesn't qualify for the free warranty would still benefit from the use of Xtreme Green Engine Life Treatment or Super Duty Oil Stabilizer.

What are the criteria for a vehicle to be eligible?

- Must have less than 150,000 miles on the original odometer reading and be 15 years or less (January 1st of each year is the change date.)
- Must be privately owned or leased by and owner must be a U.S. resident
- Must be a passenger car, SUV, van or lightweight truck weighing 6,500 lbs. or less that has never been used for any commercial, off-road or racing purpose. Motor homes are not covered.
- Must have a valid and intact VIN and have never been modified or altered from the manufacturer's original specifications or titled or branded as salvage, junk, rebuilt, totaled, flood or fire damaged.
- Must install Xtreme Green Engine Life Treatment. No other engine or oil additives may be used while the Lifetime Limited Product Warranty is in effect

How do they register for the Warranty?

Install Xtreme Green Engine Life Treatment: No paperwork to complete. The receipt is their proof. If the customer buys a box with Xtreme Green Engine Life Treatment: they have to complete and mail in the registration card that comes with the product.

Is there a waiting period before the Warranty is effective?

Yes, the warranty becomes effective only after the vehicle has been driven 1,000 miles since the initial installation of the product as indicated by the odometer reading and when 30 days have elapsed since the date of initial installation. The 1,000 mile and 30-day requirements are waived for any renewal period.

Can other additives be used?

No other additives may be used while the Lifetime Limited Product Warranty is in effect other than Xtreme Green products.

Can more than one vehicle be enrolled?

Yes, a consumer can enroll as many vehicles as they want. Each vehicle that meets the eligibility criteria must be enrolled separately. Each vehicle must be initially treated with one 12 oz. bottle of Xtreme Green Engine Life Treatment.

How do they renew the warranty once they have registered the first time?

Purchase and install Xtreme Green Engine Life Treatment within 6 months or 6,000 miles of the first application. If it has been more than 6 months or 6,000 miles, they can register again but the 1000 mile or 30 day waiting period will apply.

How are claims made?

The warranty document has specific step-by-step information for the claim process. Take the vehicle to a state-licensed repair facility. Call, or have the repair facility call, the Warranty Administrator at (949) 529-5080.

Important: No repairs should be started or damaged parts discarded until the damage or failure is diagnosed and the work is registered with the Warranty Administrator.

Questions? Call (949) 529-5080



Costa Mesa, CA 92626
(949) 529-5080 | www.xgglobal.com

2019 Xtreme Green Inc. © All Rights Reserved